



Contribution ID: 63

Type: **Poster**

Calixarene "flowers" blossoming captured with cryoTEM imaging

Wednesday, 11 December 2019 19:45 (15 minutes)

We are presenting transmission electron microscopy (TEM) imaging as an advanced tool for characterization freestanding crystalline metalorganic networks (MONs) [1]. As an example of creation of ultrathin material, the two-dimensional (2D) layer of the monomolecular thickness amphiphilic derivatives of calix[4]arenes are selected [1, 2]. The methyl-carboxy-functionalized calix[4]arenes can undergo mono to bilayer transition from nucleated and gradually grown second layer islands. The TEM imaging performed in the low dose mode and at cryo-conditions allows for obtaining micrographs capturing observation of this process on freestanding membranes suspended over lacey-carbon-covered copper grids.

The financial support of the Swiss Nanoscience Institute through the ORACLE grant P1308 and project P1305 is gratefully acknowledged.

References:

1. M. Moradi, N.L. Opara et al., *Sci. Adv.* 5 (2019), eaav4489, "Supramolecular architectures of molecularly thin yet robust free-standing layers",
2. M. Moradi, N.L. Opara et al., submitted to *Angew. Chem.* (2019), "Kinetically controlled mono- to bi-layer transition in 2D metal-organic networks".

Primary author: LENGWEILER (OPARA), Nadia (C-CINA, Biozentrum, University of Basel)

Co-authors: MORADI, Mina (School of Life Sciences, University of Applied Sciences and Arts Northwestern Switzerland); SHAHGALDIAN, Patrick (School of Life Sciences, University of Applied Sciences and Arts Northwestern Switzerland); STAHLBERG, Henning (C-CINA, Biozentrum, University of Basel)

Presenter: LENGWEILER (OPARA), Nadia (C-CINA, Biozentrum, University of Basel)

Session Classification: Wine & cheese poster session